



V K - X

•

SPECIFICATIONS SHEET

DESIGN

HARDWARE

AUDIO



DESIGN SPECIFICATIONS

MATERIALS

MECHANICAL FEATURES

GENUINE LAMBSKIN LEATHER

From South of France

STAINLESS STEEL

CNC Machined

T6063 ALUMINIUM


CNC Machined & Anodized

MULTI CONTROL BUTTONS

Push-Button



Rotary Encoder



ACCESSORIES

USB-C to USB-C Cable

USB-C to 3.5 mm Cable

USB-C to USB-A Adapter

Hard Case Pouch

Airplane Adapter

WEIGHT: 250G

**FRICTIONLESS
ADJUSTMENT**

FOLDABLE FLAT

DETACHABLE EARPADS

40^{MM} CUSTOM DRIVERS

Dynamic, closed back

Titanium Membrane

Neodymium Magnets

ASSEMBLED IN FRANCE

aëdle workshop - Paris



HARDWARE SPECIFICATIONS



BLUETOOTH MULTI DEVICE PAIRING

*Autoconnect - Up to 10 Devices in Memory
Compatible BT 4.2/5.0 Audio*



HIGH RESOLUTION AUDIO 24 BIT DSP/DAC - AKM

*Supports all major codecs including
AAC, APTX HD and LDAC*
Up to 24Bit / 96kHz*



USB-C CONNECTIVITY FAST CHARGING

*Under 30 Minutes
ANALOG AUDIO
No battery needed*




ACTIVE NOISE CANCELLING FEED-FORWARD

*Primo Dual high Performance
Omni Directional Microphones*




AUTONOMY 1000 MAH / 14-24 HOURS

Depending on ANC ON/OFF + Volume



PHONE CALLS HIGH PERFORMANCE MIC

cVc Technology



COMPATIBILITY IOS / ANDROID





FREQUENCY RANGE

20 Hz - 20 kHz

THD

0.2 % in 1 kHz @ 1 mW

IMPEDANCE

32 Ω

SOUND PRESSURE LEVEL

106 dB in 1 kHz @ 1 mW

