
Transport Comparisons



VRDS-NEO

ESOTERIC








P-01


P-03

P-05

VMK-0



VMK-1.1



VMK-5




VRDS-NEO

ESOTERIC

P-01


VMK-0



- Magnesium Turntable
- Custom steel ball bearings
- Non-RoHs VOSP pickup
- SS400 Steel T:20 mm bridge
- Al T:12 mm mechanism base
- SS400 1 piece bridge support
- Al tray with no shutter
- Speed controlled tray motion
- Exclusively used for the P-01

P-03

VMK-1.1



- Duralumin Turntable
- Custom ceramics ball bearings
- RoHs VOSP pickup
- SS400 Steel T:20 mm bridge
- Pressed steel mechanism base
- SS400 + Al 2 piece bridge support
- Al tray with shutter

- P-03/P-03 Uni/X-01D2/UX-1Pi

P-05

VMK-5




- Auminum and polycarbonate hybrid turntable
- No ball bearings
- RoHs VOSP pickup
- Pressed Steel + BMC (Bulk molding compound) resin bridge
- Pressed steel mechanism base
- BMC resin tray with no shutter

- P-05/X-05

VRDS-NEO & VRDS-Neo VMK-V


X-01D2
UX-1Pi

- Duralumin turntable
- Custom ceramic ball bearings
- RoHs VOSP pickup
- SS400 Steel T:20 mm bridge
- Pressed steel mechanism base
- SS400 + Al 2 piece bridge support
- Shutter and aluminum tray
- P-03/P-03Uni/X-01D2/UX-1Pi



X-03SE
UX-3Pi/SE

- Duralumin turntable
- Custom steel ball bearings
- RoHs VOSP pickup
- SS400 Steel T:10 mm bridge
- Pressed steel mechanism base
- SS400 + Al 2 piece bridge support
- Aluminum tray
- Die cast aluminum and steel



X-05
(P-05)


- VRDS-Neo VMK-V
- Aluminum and polycarbonate turntable
- Bulk mold composite (BMC) tray
- Steel hybrid bridge
- Differential gear loading
- Short spindle shaft
- Self detection of rotational speed
- 3 series optical assembly



VOSP

SZ-1
UZ-1

- RoHs VOSP pickup
- Aluminum tray
- 3 series optical assembly



SA-60
DV-60

- RoHs VOSP pickup
- Resin tray with Aluminum tray cap
- Steel cover with 8mm stabilizer
- Highly rigid bracket mount to chassis support flame
- 2mm steel base plate
- 3 series optical assembly



SA-10

- RoHs VOSP pickup
- Resin tray with aluminum tray cap
- 2mm steel base plate
- 3 series optical assembly

ANNIVERSARY 20th ESOTERIC